


Very High-Energy Astrophysics & The Cherenkov Telescope Array

Rene A. Ong (UCLA)

SESE Colloquium, ASU, 6 Sept 2017



Outline



Scientific & Technical Motivation

Gamma rays – high energy light → a new astronomy
Three selected science topics in brief
Experimental Technique
Planning for the Future → CTA


Cherenkov Telescope Array (CTA)

Science Drivers → Requirements → Implementation CTA Design & Performance → Scientific Capabilities Present status (2017): sites, timeline, etc.

Summary


Spectrum of Light





High Energy Light







A New Astronomy



- Before 1930's Astronomy only used <u>visible light</u>.
- New wavebands (radio, IR, X-ray, γ-ray) change our picture of the universe.
- Other messengers: neutrinos & grav. waves.




Crab Pulsar (X-rays)




Also a source of VHE γ -rays!


Very High Energy (VHE) Astrophysics




VHE γ-ray Sky c1997



VHE γ-ray Sky c2006




VHE γ-ray Sky c2017



Detailed source information: Spectra, Images, Variability, MWL ...

HE + VHE γ -ray Sky c2017



- Wide variety of HE/VHE sources in our Galaxy and outside
- Many sources not clearly identified with known objects

Three Selected Science Topics


- Supernova remnants & origin of cosmic rays
- Active Galactic Nuclei (AGN)
- Galactic Center & Dark Matter

Supernova Remnants

SN 1006

Blue: X-ray Yellow: Optical Red: Radio

(Credit:X-ray: NASA/CXC/Rutgers/G.Cassam-Chenai, J.Hughes et al.; Radio: NRAO/AUI/NSF/GBT/VLA/Dyer, Maddalena & Cornwell; Optical: Middlebury College/F.Winkler, NOAO/AURA/NSF/CTIO Schmidt & DSS)




Supernova Remnants (SNRs)

"Standard Model" for the origin of the cosmic rays:

- Expanding shell of SNR & <u>shock</u>
 <u>front</u> sweeps up ISM material.
- Acceleration of particles via diffusive shock acceleration.
- Can supply and replenish CR's if ε ~ 5-10%.


Good model ... is it right?

We don't yet know if the model is right or not, but there has been considerable progress in the last few years.



RXJ 1713-3946 Age = 1600 y D = ~1 kpc

IC 443 Age ~ 30 ky D ~ 0.8kpc




WISE – 22, 12, 4.6 μm

Active galactic nuclei and their jets Radio **TeV energies** HESS, ApJL 695 (2009) L40 kpc / "Inner je Cen-A Nearest AGN, d ~ 4 Mpc Radio lobes 3-4°, ~300 kpC

AGN that Point to Us


"Blazars": AGN with jets pointed to us Remarkable variability!

PKS 2155-304 flare in TeV γ-rays



- → limits on energy-dependence of speed of light
- → Study transparency of universe (EBL)

Galactic Center – A Mystery




TeV Emission is:


1" x 1"

- Intense and highly non-thermal
- completely unexpected
- not understood!

(Indirect) Dark Matter Detection



Exploring the non-thermal Universe "ASTRO"




Probing New Physics at GeV/TeV scale "PARTICLE"



Experimental Technique & Planning for the Future

Fermi Large Area Telescope (LAT)



Beyond 100 GeV

Nevts = flux x area x time

1 1 1 1


> 100 low, given
$$\approx 1 \text{ m}^2$$
 $\approx 3 \text{ yrs}$

for <10% by nature for space exp. for a PhD stat. error

Steeply falling spectrum:

x10 in Energy \rightarrow divide by 100-500 in flux


- Large effective area needed to get detectable signals at VHE
- Natural detector: the atmosphere




Whipple 10m γ-ray Telescope (1968-2011)

Mt. Hopkins, AZ USA


- Pioneered use of Imaging
- Made first source detection.
 (Crab Nebula in ~90 hours)




γ-ray





cosmic ray






VHE Telescopes (2017)





From current arrays to CTA



Planning for the Future



What we know, based on currents instruments:

Great scientific potential exists in the VHE domain

Expect many more sources & deeper probes for new physics

IACT Technique is very powerful

➤ Have not yet reached its full potential → large Cherenkov array

Exciting science in both Hemispheres

Argues for an array in both S and N

Open Observatory → Substantial reward

Open data/access, MWL connections to get the best science

International Partnerships required by scale/scope

Project must develop the instrument and the observatory

Requirements & Drivers



Energy coverage down to 20 GeV (Discovery domain: GRBs, Dark Matter) Cta

Energy coverage up to 300 TeV (Pevatrons, hadron acceleration)

Good energy resolution, ~10-15%: (Lines, cutoffs)

Large Field of view 8-10° (Surveys, extended sources, flares)

Rapid Slew (20 s) to catch flares: (Transients)

10x Sensitivity & Collection Area (Nearly every topic)

Angular resolution < 0.1° above most of E range (Source morphology)

Science Themes

Theme 1: Cosmic Particle Acceleration

- How and where are particles accelerated?
- How do they propagate?
- What is their impact on the environment?

Theme 2: Probing Extreme Environments


- Processes close to neutron stars and black holes?
- Processes in relativistic jets, winds and explosions?
- Exploring cosmic voids

Theme 3: Physics Frontiers – beyond the SM


- What is the nature of Dark Matter? How is it distributed?
- Is the speed of light a constant for high energy photons?
- Do axion-like particles exist?

CTA Design (S array)

Science Optimization under budget constraints



CTA Sensitivity in Context



Galactic Discovery Reach

Current Galactic

VHE sources

estimates)


(with distance

HESS/


VERITAS

CTA

Survey speed: x300 faster than HESS



Angular Resolution





CTA Implementation & Status

CTA Consortium



CTA is being developed by the CTA Consortium:




32 countries, ~1300 scientists, ~200 institutes, ~440 FTE

Site Selection

Two sites to cover full sky, latitude 20°-35° in N, S





Site Selection








Prop







Map of a portion of Arizona near Flagstaff, AZ. The access routes from the East Site (A) and the West Site (B) to Flagstaff (C) are shown in blue. The Grand Canyon starts at the top of the figure.

Meteor Crater Site



CTA Reference Site superimposed on local satellite imagery to show approximate scale and road configuration.





Wide view showing highway I-40 and the nearby railroad siding (9 km from site along paved road).

Zoom showing shortest route for access road (thick black line) and Atmoscope (yellow square).

CTA at Meteor Crater Site



CTA at Meteor Crater Site




Selected Sites for CTA






CTA Telescope Types







23 m diameter / f = 28m 390 m² dish area 1.5 m mirror facets

4.5° field of view0.1° pixelsCamera Ø over 2 m

Carbon-fiber structure for 20 s positioning


Active mirror control

4 LSTs on South site 4 LSTs on North site

First LST construction underway (La Palma)


Medium Telescope (MST)






MST Integrated Camera





US Contribution: Dual-Mirror MST






- Schwarzschild-Couder design (V. Vassiliev et al.)
- 9.7m primary, 5.4m secondary
- 11328 x 0.07° Si-PMT pixels
- 8° field-of-view
- Prototype under construction:
 Whipple Obs. (Arizona, USA)

CTA Phases & Timeline





- 2016-7: Hosting agreements, site preparations start
- 2018: Start of construction
- Funding level at ~65% of required for baseline implementation
 - → start with *threshold implementation*
 - → additional funding & telescopes needed to complete baseline CTA
- Construction period of ~6 years
- Initial science with partial arrays possible before construction end

CONCLUSIONS



With many discoveries, VHE γ -rays are now a well-recognized astrophysical discipline & part of growing multi-messenger science.

VHE photons explore the very non-thermal universe and key questions in fundamental physics

Outstanding science potential & power of atmospheric Cherenkov technique → CTA

Cherenkov Telescope Array (CTA)

Outstanding sensitivity & resolution over wide energy range

Far-reaching key science program

Open observatory with data released to public

CTA requires a broad partnership of countries and

communities — including, hopefully, the US